

DC coupling for barrel connector 5.5x2.1mm, PCB mounting, solder lugs

The DC coupling for barrel connectors 5.5x2.1mm offers a robust solution for power supplies in electronics. It has soldering lugs for secure electrical connections and a compact 90° angled design for easy installation



Product number DCK21-P1

Weight 0.001kg

Product description

DC coupling for hollow plug 5.5x2.1mm

The DC coupling for hollow plug 5.5x2.1mm offers reliable power supply solutions for electronic devices. The compact 90° design enables space-saving installation, while the outer diameter of 5.5 mm and the inner diameter of 2.1 mm ensure compatibility with common DC hollow plugs. Ideal for versatile applications in electronics.

Features at a glance

- Design: Compact with 90° angle, ideal for limited space.
- Contact diameter: Outer 5.5mm, inner 2.1mm, suitable for standardised DC hollow plugs.
- Connection type: Solder lugs for permanent installation and reliable conductivity.

Technical specifications

- Connector: Socket
- Connector type: for DC power supply
- Connector type: male
- Contact outer diameter: 5.5mm
- Contact inner diameter: 2.1mm
- Electrical mounting: THT
- Spatial orientation: 90° angle
- Type: Off switch
- Plug size: 5.5/2.1mm

Scope of delivery

- 1 x DC coupling for hollow plug

Product properties

Zolltarifnummer	85366990
Gross Weight (kg)	0.001
Country of Origin	China
VPE	1 / 10 / 100
Brand	Frei
Mounting	THT
Product ID	DCK21-P1
Manufacturer ID	DCK21-P1
EAN	4251266708049

More images

